



AQ-MF-1-R

Under Sink Water Filter  
**Claryum®**  
**Direct Connect**


REPLACEMENT

Owner's Manual




## INSTALLATION STEPS


- 1 Turn off COLD water supply under the sink.




- 2 Remove the old cartridge from the System Head. Rotate the cartridge to the left until it unlocks, pull down and discard.



- 3 To attach new cartridge to the system, align all connection points, push in, and turn cartridge to the right until it locks.



- 4 Once cartridge is locked into place, turn on the COLD water supply to pressurize the system. Check for leaks.



- 5 Turn on kitchen faucet to COLD water and run water through the cartridge at full force for at least 15 minutes. This action will purge the system of air and carbon fines ensuring maximum filter life.



# water for life®

## **Replace your filters on time, without worry — auto-delivered to you, for less.**

It's important to change your filters using genuine Aquasana replacements for continued water filtration and optimum system performance. This is why we offer our no contract, auto-ship filter replacement program called Water for Life.



### **Free Shipping**

Replacements shipped directly to you, right when you need them, at no extra cost.



### **Discount Replacements**

Lock in a 15% discount on filters to ensure you always get the best price.



### **Extended Warranty**

Our performance promise to you – free replacement parts, just in case.



### **No Contract**

Replacing your filters is serious – but your commitment doesn't have to be.

## **CONTACT US TO LEARN MORE**



866-662-6885



[waterforlife@aquasana.com](mailto:waterforlife@aquasana.com)



## LOVE IT?

Let us know with a review on Aquasana, Amazon, or your retailer's website.



## NEED HELP?

Give us a call at 866-662-6885 and tell us what's going on.

The recommended replacement frequency for the AO-MF-1-R is every **6 months** or every **784 gallons** of use.

Use only certified, genuine Aquasana replacement filters for continued contaminant removal and system performance. Performance Data Sheet information can be found at [Aquasana.com](http://Aquasana.com).



Tested and Certified by IAPMO R&T lab and IAPMO R&T against NSF/ANSI 42, 53, 401 as verified and substantiated by test data.

- Systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.
- Rated Capacity: 784 gallons (2,967 liters)

*Do not use with water that is microbiologically unsafe or of unknown water quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used on disinfected waters that may contain filterable cysts.*

**Aquasana, Inc.**  
6310 Midway Road  
Haltom City, Texas 76117  
866.662.6885 USA  
877.332.7873 Canada  
[www.aquasana.com](http://www.aquasana.com)

Installation must comply with state and local laws.